

New Zealand Rural Waste Minimisation

Phase 1 Risk Assessment *Summary Report*

New Zealand Rural Waste Minimisation

Phase 1 Risk Assessment

Summary Report

Report No. R15/145 ISBN 978-1-927299-64-7 (print) 978-1-927299-65-4 (Web) 978-1-927299-66-1 (CD)

Report prepared for Environment Canterbury by True North Consulting Ltd

November 2015





Report No. R15/145 ISBN 978-1-927299-64-7 (print) 978-1-927299-65-4 (Web) 978-1-927299-66-1 (CD)

PO Box 345 Christchurch 8140 Phone (03) 365 3828 Fax (03) 365 3194

75 Church Street PO Box 550 Timaru 7940 Phone (03) 687 7800 Fax (03) 687 7808

Website: www.ecan.govt.nz Customer Services Phone 0800 324 636

This report represents advice to Environment Canterbury and any views, conclusions or recommendations do not represent Council policy. The information in this report, together with any other information, may be used by staff to guide the design and review of monitoring and investigations programmes.

New Zealand Rural Waste Minimisation Risk Assessment and Waste Prioritisation

Summary Report

November 2015

True North Consulting Ltd.

1 Introduction

What is the background to this project?	In the last few years, investigations undertaken in Canterbury, Waikato and Bay of Plenty indicate that rural waste minimisation could be greatly improved as current waste management practices such as burning and burying may be causing harm to the environment.				
	The main barriers to better waste management are suspected to be farme behaviour favouring traditional on-farm disposal methods and a lack of waste minimisation options for farmers.				
	The Rural Waste Minimisation Project will help us to better understand the risks associated with current rural waste management practices, find viable waste minimisation options and activate positive behavioural change in New Zealand.				
Why did we undertake this risk assessment?	The risk assessment was undertaken to determine the impacts on and risks to New Zealand's natural resources (land, water and air), economy, and social and cultural well-beings from current rural waste burning, burying and stockpiling practices.				
	The intention of this phase of work is to help guide and prioritise activity in the subsequent parts of the project which are:				
	• To identify new waste minimisation options for rural waste management and assess the technical and economic feasibility of these.				
	• To develop implementation plans with service providers for feasible waste minimisation options.				
What is the aim of this report?	This report establishes the baseline data and aims to identify the risks associated with current disposal practices for rural waste, specifically focusing on the types and quantities of waste generated and relevant disposal behaviours. It provides a better understanding of key issues and priorities for dealing with rural waste.				
	Environment Canterbury contracted SLR Consulting (NZ) Limited (SLR) to conduct the risk assessment and to create a prioritised list of rural wastes. True North Consulting Ltd has prepared this Summary Report for Environment Canterbury.				

2 Methodology

How did we assess the
impacts and risks toThe research assessed each rural waste type, associated farming practices, disposal
methods and issues arising from these. Using this information, SLR assessed the risk
posed by current practices and prioritised the wastes for further consideration.

The risk assessment methodology considered the limitations of the available rural waste survey data and the common on-farm disposal activities of burn, burial and bulk storage.

The methodology included:

• Development of Source/Pathway/Receptor models to understand the source of wastes (e.g. burning of plastics); the pathways through which these wastes could enter the wider environment (e.g. inhalation of

airborne contaminants); and the receptors likely to be affected (e.g. farmers or grazing animals) by the waste types.

- Each waste stream was assessed to determine the risk it poses to the environment, social and cultural well-beings and the economy. The process that was developed for assessing these risks comprised:
 - A calculation of 'likelihood x consequence' on the worst case risks identified through the Source/Pathway/Receptor models to arrive at a risk rating score for each waste stream.
 - Risk justification tables for each waste group that provide the data and justifications for the risk rating score given.
- The following areas were identified and assessed within the framework in order to understand how each variable influences the overall risk:
 - Quantities of waste produced;
 - Toxicity of wastes;
 - Behaviour of wastes along transformation and transmission pathways;
 - Location of disposal points; and
 - Typical farming practices.
- For each waste stream, the risks from burning, burial and bulk storage were assessed and scored. These scores were aggregated and weighted to produce risk ratings for each waste.
- These scores were used to prioritise the wastes according to the risk each poses.

The following rural wastes were not included within the risk assessment:

- *Fertiliser* a review of the original survey notes indicated that the fertiliser was recorded as a waste when it may have been being stored prior to use.
- Animal carcasses and organic wastes although significant in volume the potential risks are not commensurate to the tonnages. The on-farm practices of using contractors/companies to pick up dead animals (carcasses go to dog food processing plants, etc.) mean on-farm risks will be lower.
- Domestic household wastes.

3 Results

What are the risks of current disposal practices? The key risks identified were:

- Bioaccumulation (build up) of contaminants in the ecosystem;
- Leaching of soil contamination into groundwater and nearby waterways;
- Quantities of wastes produced, particularly chemical wastes in dairy and horticultural activities;
- Release of toxic gases from burning of wastes.

Burning of Rural Wastes The practice of burning wastes poses the greatest social and environmental risk. The burning of waste generally produces a significant odour through the volatilisation of contaminants and it also produces particulate matter such as contaminated ash. The burning of plastics, packaging, hazardous substances,

treated timber, and building material (e.g. asbestos) are most likely to have an adverse environmental impact and will result in significant volatilisation of contaminants. Waste types such as untreated timber and organic material can result in the significant production of ash. However, the long term social and environmental impacts are likely to be comparatively minor.

The pathway by which these contaminants enter the environment is predominantly via direct and uncontrolled release to the atmosphere. Once airborne these contaminants may travel large distances depending on weather conditions (e.g. wind direction, particle density) where they may be deposited as particulate matter across pastures, waterways, residential dwellings or be directly inhaled by farm workers, and the wider community. Consequently, the pathway by which contaminants enter the environment also influences the extent of contaminant impact.

Key risks associated with the burning of rural wastes include:

- Volatilisation of a range of contaminants which can lead to significant health effects.
- Health impacts affecting local residents, farm workers and/or local community and subsequent lost farm productivity due to time off work.
- Impact on local businesses and tourism from odour and smoke production.
- Particulate matter deposited to sites of ecological and cultural significance.
- Lost economic value due to complete degradation of products, or lost recycling opportunities.
- Impact on local communities (e.g. decreased amenity values, health effects) from direct exposure to air borne contaminants.

Burial of Rural Wastes A number of waste types such as plastics, packaging, sharps, building waste (e.g. asbestos) and hazardous substances are commonly disposed of in unlined farm pits.

Leaching of contaminants from the pit into surrounding soils and groundwater is the main pathway by which the buried waste affects the wider environment. Therefore the type of waste directly influences the amount and toxicity of the leachate produced. Buried paints, solvents, aerosols, hazardous substances (e.g. agricultural sprays), residual contaminants from plastics and packaging and decomposing organics (e.g. animal carcasses) are the waste types most likely to result in the production of hazardous leachate.

Other notable direct and indirect pathways for contaminant exposure include the direct and uncontrolled release of contaminants to the atmosphere, skin contact with residual waste, inhalation and ingestion of contaminants and surface water flow transporting contaminants from the buried waste to the surrounding environment.

Key risks associated with the burial of rural wastes include:

- Degradation of residual wastes leading to leaching of contaminants to soil reducing the quality of sites of ecological and cultural significance.
- Accumulation of contaminants in soil structure leading to vegetation bioaccumulation.
- Wastes leaching into soil and surface waterways.
- Health impacts from direct dermal contact with residual wastes.
- Buried waste potentially affecting residential property values.
- Inadequate burial of packaging leading to decreased community amenity (e.g. packaging blown to adjacent areas).

Bulk Storage of Rural Wastes	Storage of waste on-farm generally involves stockpiling of waste for later recycling (e.g. scrap metal); storing of waste prior to collection and disposal or recycling via product stewardship schemes (e.g. silage wrap, drums); storing of items for potential reuse (e.g. paints, solvents, agricultural sprays); and general disposal of waste on-farms (e.g. building waste). While all methods pose a potential impact to the environment, storing of items such as paints and solvents presents one of the most significant sources of environmental risk.
	most significant sources of environmental risk.

Bulk storage also poses a risk by grouping non compatible products together, often over long periods of time and potentially in unsecure/damaged containers. Due to the persistent nature of waste materials such as paints, solvents, and agrichemical sprays, there is a real risk of chemical reaction and chemicals leaching out into the surrounding environment.

For example, if these chemicals then enter surface water runoff there is a potential for widespread impacts to receptors including crops and pastures (e.g. uptake of contaminants via root system), farmer workers (e.g. direct skin contact with contaminated leachate) and sensitive ecological sites (e.g. contaminated leachate entering ground and surface water resulting in fish kills and bioaccumulation).

By comparison, waste types such as metal, concrete and untreated timber are relatively inert and have a lower environmental risk to the environment. However, if stored for long periods of time the waste items may degrade producing contaminants such as iron oxide (e.g. metal corrosion) or concrete dust which have the potential to enter the environment through various pathways.

Key risks associated with the bulk storage of rural wastes include:

- Leaching of wastes breaking down to surrounding environment and sites of cultural significance.
- Lost economic value due to degradation of product from poor storage.
- Health effects from inhalation of degraded packaging or skin contact with residual wastes.
- Fire hazard risk.
- **Prioritised Wastes List** In general terms, the priority waste types are hazardous chemical wastes (e.g. paints, solvents, agrichemicals) and plastics. Table 1 below lists the prioritised wastes in the following order:

Rank	Rural Waste	Rank	Rural Waste	Rank	Rural Waste
1	Paints, solvents	15	Fertiliser bags	29	Used wood chip animal bedding
2	Oil containers	16	Animal health plastic	30	Metal (roofing, metal, wire)
3	Used oil	17	Seed bags	31	Used machinery/ vehicles
4	Aerosols	18	Plastic (pallet wrap)	32	Used Tyres
5	Vehicle batteries	19	Containers	33	Cardboard
6	Waste oil filter	20	Drums	34	Alcathene pipe offcuts
7	Agricultural sprays	21	Glass	35	Miscellaneous plastic packaging
8	Drench/dip	22	Greenhouse plastic sheeting	36	Paper (filter socks)
9	Sharps	23	Plastic bags	37	Old fence posts
10	Netting	24	Household batteries	38	Building waste, concrete
11	Animal feed bags	25	CCA treated timber	39	Twine
12	Baleage wrap	26	PVC	40	Pallets-wooden untreated
13	Mulch film and crop cover	27	Untreated timber offcuts	41	Trickle tape irrigation tape
14	Silage wrap	28	Plastic		

Table 1 Prioritised Wastes

The list ranks 41 wastes with the highest weighted risk based on the risk score:

- The top 9 rural wastes score highly on the environmental and social (health) risk assessments. However, the respective tonnages for these 9 rural wastes are comparatively less than other wastes.
- The next riskiest wastes are a series of plastics which score relatively high in all risk assessments.
- The wastes which were ranked lower risks are a mixture of plastics, building wastes, metals and wood wastes. These materials placed lower on environmental, social and cultural risk assessments, although some of the materials have reasonable recycling values and tonnages that possibly hint at commercial collection strategies.

What happens now?

The prioritised wastes and the priority waste groups will inform the next phase of the project, which aims to identify new waste minimisation options for rural waste management and assess the technical and economic feasibility of these. Environment Canterbury has contracted Jacobs and Tonkin & Taylor Ltd to undertake this work.

4 Acknowledgements

Environment Canterbury would like to thank the Ministry for the Environment, for providing Waste Minimisation funding for this project. We would also like to thank the Waikato Regional Council, Bay of Plenty Regional Council, Canterbury Waste Joint Committee, WasteMINZ, Agrecovery Foundation, Synlait Milk and 3R Group Ltd for their funding contributions.

5 References

Prepared for Environment Canterbury by Sinclair Knight Merz (2012) Non Natural Rural Waste Scoping Study, Environment Canterbury Report Number R12/51 <u>http://ecan.govt.nz/publications/Plans/report-non-natural-farm-waste-scoping-study.pdf</u>

Prepared for Environment Canterbury by GHD (2012) Non Natural Rural Waste Regional Assessment and Guidance Note Development, Environment Canterbury Report Number R12/74 http://ecan.govt.nz/publications/Plans/CanterburyNonNaturalRuralWasteRegionalAssessment.pdf

Prepared for Environment Canterbury by GHD (2013) Non Natural Rural Waste Site Survey Data Analysis, Environment Canterbury Report Number R13/52 <u>http://ecan.govt.nz/publications/Reports/non-rural-wastes-</u> <u>survey-r13-52.pdf</u>

Prepared for Environment Canterbury by SLR Consulting (NZ) Ltd (2015) Rural Waste Risk Assessment and Waste Prioritisation, Environment Canterbury Report Number R15/122

Prepared for Environment Canterbury by SLR Consulting (NZ) Ltd (2015) Risk Assessment and Waste Prioritisation High Level Toxicity Screening Study

Environment Canterbury Report No. R15/145 ISBN 978-1-927299-64-7 (Hard) 978-1-927299-65-4 (Web) 978-1-927299-66-1 (CD)



Everything is connected

Promoting quality of life through balanced resource management www.ecan.govt.nz

Environment Canterbury offices

Christchurch 58 Kilmore Street PO Box 345 Christchurch 8013 P: 03 365 3828 F: 03 365 3194 Timaru 75 Church Street PO Box 550 Timaru 7940 P: 03 687 7800 F: 03 687 7808